

HPD UNIQUE IDENTIFIER: 538681344

CLASSIFICATION: 09 68 13 Tile Carpeting

**PRODUCT DESCRIPTION:** Inspired by rocky landscapes, the loop-pile fabric features a robust structure in natural monochrome shades, as well as contrasting colors. The result is a pleasantly flowing surface appearance. Whether you opt for classic and understated or statement shades, XPOSIVE is always a talking point and can be integrated into a huge variety of room designs. The fabric also boasts eco-friendly qualities and is sparing in its use of resources.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input checked="" type="radio"/> Completed	<i>For all contents above the threshold, the manufacturer has:</i>
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Completed	<i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Other	<b>Explanation(s) provided :</b>	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material		<input checked="" type="radio"/> Yes <input type="radio"/> No	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product			<b>Identified</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT** | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*  
**GREENSCREEN SCORE** | HAZARD TYPE

**AT XPOSIVE WELLTEX® ACOUSTIC** [ **STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE)** **LT-UNK** **POLYAMIDE FIBERS** **NoGS** **POLYETHYLENE TEREPHTHALATE (PET)** **LT-P1** **POLYETHYLENE TEREPHTHALATE (PET)** **LT-P1** **ALUMINUM HYDROXIDE OXIDE** **NoGS** ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

### INVENTORY AND SCREENING NOTES:

GLP - Certificate 100136 tested declared for 500 ppm. Chemical substance are listed by weight in the entire product instead of grouped by materials. Nano materials are not used in the product. All substances including residuals are disclosed to 500 ppm.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: PRODIS-GUT  
VOC emissions: CRI Green Label Plus - Carpets  
: ISO 9001:2015 Quality management systems

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2024-01-29

PUBLISHED DATE: 2024-01-29

EXPIRY DATE: 2027-01-29

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### AT XPOSIVE WELLTEX® ACOUSTIC

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: All substances including residuals are disclosed to 500 ppm

OTHER PRODUCT NOTES:

#### STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE)

ID: 9003-55-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-29 2:31:06

%: 45.0000 - 50.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Adhesive

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

#### POLYAMIDE FIBERS

ID: 63428-84-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-29 2:31:06

%: 36.0000 - 37.0000

GreenScreen: NoGS

RC: PostC

NANO: No

SUBSTANCE ROLE: Textile component

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The pile material is made from 100 % recycled polyamide (ECONYL®)

#### POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-01-29 2:31:06

#: 10.0000 - 15.0000

GreenScreen: **LT-P1**

RC: **PostC**

NANO: **No**

SUBSTANCE ROLE: **Carrier**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Made from recycled residues, bottle flakes, etc.

**POLYETHYLENE TEREPHTHALATE (PET)**

ID: **25038-59-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-01-29 2:31:06**

#: **5.0000 - 5.0000**

GreenScreen: **LT-P1**

RC: **PostC**

NANO: **No**

SUBSTANCE ROLE: **Textile component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The primary backing is made from recycled polyester (bottle flakes and residues)

**ALUMINUM HYDROXIDE OXIDE**

ID: **11139-78-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-01-29 2:31:07**

#: **2.0000 - 3.0000**

GreenScreen: **NoGS**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	PRODIS-GUT	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-05-18 00:00:00	CERTIFIER OR LAB: GUT -
APPLICABLE FACILITIES: Indoor Air, VOC, REACH	EXPIRY DATE:	Gemeinschaft umweltfreundlicher
CERTIFICATE URL: <a href="https://gut-prodis.eu/en/">https://gut-prodis.eu/en/</a>		Teppichboden e. V.
CERTIFICATION AND COMPLIANCE NOTES: GUT - free of SVHC and formylaldehyd. VOC up to 250 ppm		

VOC EMISSIONS	CRI Green Label Plus - Carpets	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-12-19 00:00:00	CERTIFIER OR LAB: CRI - Carpet
APPLICABLE FACILITIES: This is for indoor air quality for all rooms in every building.	EXPIRY DATE: 2024-12-31 00:00:00	and Rug Institute
CERTIFICATE URL: <a href="https://carpet-rug.org/glpproducts">https://carpet-rug.org/glpproducts</a>		
CERTIFICATION AND COMPLIANCE NOTES: GLP 100136 Certificate		

MANAGEMENT	ISO 9001:2015 Quality management systems	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2023-12-17 00:00:00	CERTIFIER OR LAB: TÜV Hessen,
APPLICABLE FACILITIES: Management system for quality orf internal work. Like CE, etc.	EXPIRY DATE:	Germany
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: TÜV Hessen and TIF, Aachen		

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

Like the entire PLACES OF ORIGIN series, this textured loop pile impresses with its charming surfaces which are durable and resistant to dirt.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Object Carpet**  
 ADDRESS: **Object Carpet GmbH**  
**Denkendorf, Baden-Württemberg 73770**  
 COUNTRY: **Germany**

WEBSITE: **www.object-carpet.com**  
 CONTACT NAME: **Patric Kannberg**  
 TITLE: **Sustainability Manager**  
 PHONE: **+497113402145**  
 EMAIL: **patric.kannberg@object-carpet.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

